



**KCA Laboratories**  
232 North Plaza Drive  
Nicholasville, KY 40356

+1-833-KCA-LABS  
https://kcalabs.com  
KDA Lic.# P\_0058

**Certificate of Analysis**

1 of 2

**Galactic Gas THCa Badder**

Sample ID: SA-241101-51201  
Batch: 0418  
Type: Finished Product - Inhalable  
Matrix: Concentrate - Badder  
Unit Mass (g):

Collected: 10/04/2024  
Received: 10/07/2024  
Completed: 10/22/2024

**Client**  
WNC-CBD  
PO Box 17865  
Asheville, NC 28806  
USA



**Summary**

Test	Date Tested	Status
Cannabinoids	10/14/2024	Tested
Terpenes	10/22/2024	Tested

<b>ND</b> Δ9-THC	<b>81.0 %</b> Δ9-THCA	<b>81.6 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------	--------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

**Cannabinoids by HPLC-PDA**

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	ND	ND
CBNA	0.006	0.0181	0.192	1.92
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	81.0	810
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	0.406	4.06
<b>Total Δ9-THC</b>			<b>71.1</b>	<b>711</b>
<b>Total</b>			<b>81.6</b>	<b>816</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone  
CCO  
Date: 11/01/2024

Tested By: Kelsey Rogers  
Scientist  
Date: 10/14/2024



ISO/IEC 17025:2017 Accredited  
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.